

	CITY OF OCEANSIDE Building Division 300 N Coast Highway Oceanside, CA 92054 760-435-3950 www.ci.oceanside.ca.us	I.B. 119
		2022 California Codes
		1/1/2023-12/31/2025 <i>Effective Date</i>

Bedroom Conversions

Informational Bulletin

This bulletin addresses the conversion of living space such as a den, office, or living room into a bedroom.

For garage conversions into a bedroom or other living space please see Bulletin 120.

Planning Division Requirements

The converted living space must meet the definition of a bedroom.

A bedroom is defined by Oceanside Municipal Code section 24.2(a) and reads as follows:

“A *bedroom* is a private room furnished with a bed and intended primarily for sleeping. Bedrooms must be separated from other rooms by a door and have at least one window and emergency escape/rescue opening and a closet or storage nook. Additionally, the room must be accessible to a bathroom without crossing into another bedroom.”

Building Division Requirements

A building permit is required for all bedroom conversions and shall be obtained prior to start of any construction. A floor plan must be provided even in circumstances in which the room is proposed to be renamed without any construction. The converted bedroom must meet all the requirements of the Building Codes currently in effect. The following general code items refer to 2022 California Building, Electrical, Energy, Mechanical, and Residential Codes:

These include:

1. A switched light or receptacle (CEC 210.70.1)
2. The space may not connect to a garage with a door. (CRC 311)
3. The area of windows or doors in the habitable area shall be not less than 8% of the floor area. (CRC 303.1)
4. The openable area of these windows or doors shall be not less than 4% of the floor area for natural ventilation. (CRC R303.1)
5. The bedroom is required to have a minimum of 70 square feet of floor area. (CRC 304)
6. Maintain minimum 7’ ceiling height from finish floor to finish ceiling. (CRC R305.1)
7. Provide smoke and/or carbon monoxide alarms as required. (CRC R314)



CITY OF OCEANSIDE

Building Division
300 N Coast Highway
Oceanside, CA 92054
760-435-3950
www.ci.oceanside.ca.us

I.B. 119

2022 California Codes

1/1/2023-12/31/2025
Effective Date

8. Provide a permanent method for heating, 68-degree minimum at 3' above the floor in all habitable rooms. (CRC 303.9)
9. Emergency egress windows must have an opening to the exterior of the building of at least 5.7 sf with a minimum clear opening width of 20", a clear opening height of not less than 24", and a finished sill height of not more than 44" above the floor. (CRC R310)
10. Electrical receptacle outlets are required to be installed in habitable living spaces so that no space along the wall will be more than six feet from a receptacle. (CEC R210.52)
11. An existing gas water heater or furnace may have to be relocated, modified, or replaced to meet code. (CMC 904.1)
12. In cases in which walls are proposed to be added, removed or relocated, a structural plan will be required and an engineer may be needed to provide calculations that justify a compliant design.
13. In cases in which walls are proposed to be added, removed or relocated in homes that have fire sprinklers, the proposed floor plan will also be reviewed for compliance with the fire code for sprinkler design criteria. Sprinkler heads may need to be changed and/or relocated.
14. In cases in which the home is on septic, additional bedrooms may require the septic system to be upgraded in compliance with the plumbing code and county health department regulations.